

## B 260 R I BP PACK+R100+DOSE+SB

With a powerful battery, high-performance battery charger, 100 cm working width and roller brush head: the ride-on scrubber drier B 260 RI Bp Pack for tough industrial applications.



Made in Germany



SIDE BROOM



DOSE



ROLLER BRUSH HEAD



WHEEL ANGLE SENSOR

Order no.

1.480-252.0

- EASY Operation selector switch

### Technical data

EAN code		4054278953809
Drive type		Battery
Traction drive		Traction motor
Working width of brushes	cm	100
Working width with 1 side brush	mm	1220
Working width, vacuuming	cm	114
Fresh/dirty water tank		260 / 260
Waste Container	l	26
Battery type		low maintenance
Battery	V / Ah	36 / 630
Battery runtime	h	max. 5
Brush contact pressure	kg	150
Aisle turning width	cm	212
Water consumption	l/min	max. 9
Sound pressure level	dB(A)	75
Total permissible weight	kg	1840
Weight without accessories	kg	1430
Dimensions (L × W × H)	mm	2000 × 1180 × 1570

### Equipment

Roller brush	■
Auto Fill	■
Powerful traction drive	■
Battery and charger included	■
Automatic water stop	■
DOSE	■
Parking brake	■
Integrated sweeping mechanism	■
Adjustable steering wheel	■
Sweeping function	■
Solenoid valve	■
Squeegee, curved	■
Side brush	■
2-tank system	■
standard daytime driving light	■
dosing canister for cleaning agent with closed loop system	■
Kärcher colour and operating concept	■
Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights	■
Home Base fastening possibilities for mop or similar	■
speed reduction in curves for increased safety	■
electrical and mechanical float switch	■

## Easy Operation selector switch


- Included in delivery.

This device does not require instruction.



### Newly developed roller brush head

- Greatly improved sweeping results and prevents squeegee blockages.
- The rollers can be changed in a matter of seconds and without tools.
- Excellent cleaning results.



### 10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



### Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.

## EQUIPMENT FOR B 260 R | BP PACK+R100+DOSE+SB

### 1.480-252.0



	Order no.	Description	
<b>ROLLER BRUSHES FOR BR</b>			
Roller brush red for replacement R100, medium, red, 914 mm	1	4.250-180.0	<input checked="" type="checkbox"/>
Roller brush black - R 100 Industrial, very hard, black, 914 mm	2	5.250-408.0	<input type="checkbox"/>
<b>BRUSH HEADS</b>			
Brush-head R 100/ 39"	3	2.763-056.0	<input checked="" type="checkbox"/>
<b>WIPING LIPS</b>			
Set side strip	4	4.250-167.0	<input checked="" type="checkbox"/>
Set side strip oil resistant	5	4.250-166.0	<input type="checkbox"/>
<b>SUCTION BARS AND SQUEEGEES</b>			
<b>Suction bar, complete</b>			
Suction bar parabolic B250R Industrial, 1140 mm	6	4.777-104.0	<input checked="" type="checkbox"/>
<b>Squeegees for suction bars</b>			
Suction lip set standard B260RI, 1260 mm	7	4.250-137.0	<input checked="" type="checkbox"/>
Suction lip set PU 1140mm/45in, oil-resistant, slotted, 1260 mm	8	4.250-143.0	<input type="checkbox"/>
<b>KITS</b>			
<b>Side broom/SSD mounting kit</b>			
Add-on kit side broom B 260RI R100	9	2.644-371.0	<input checked="" type="checkbox"/>
<b>Dose mounting kit</b>			
Add-on kit metering cleaning agents B260	10	2.644-368.0	<input type="checkbox"/>
<b>Lighting/RKL mounting kit</b>			
Add-on kit revolving signal light B 260	11	2.644-363.0	<input type="checkbox"/>
Add-on kit BlueSpot front B260RI	12	2.644-366.0	<input type="checkbox"/>
Add-on kit BlueSpot rear B260RI	13	2.644-367.0	<input type="checkbox"/>
<b>Other attachment kits</b>			
Add-on kit ram protection suction bar	14	2.644-369.0	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR B 260 R | BP PACK+R100+DOSE+SB 1.480-252.0



		Order no.	Description	
<b>KITS</b>				
<b>Other attachment kits</b>				
Add-on kit connection HD	15	2.644-370.0		<input type="checkbox"/>
Set deflector roll stack formation SB	16	4.035-619.0		<input type="checkbox"/>
Protective roof	17	2.643-849.0	This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects - tested in accordance with EN IEC 60335-2-72.	<input type="checkbox"/>
<b>SIDE BRUSHES</b>				
<b>Standard side brushes</b>				
Standard side brush	18	6.905-986.0	Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	<input checked="" type="checkbox"/>

■ Included in delivery.    □ Available accessories.